

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 05 2001

Returned to applicant for correction _____

Corrected application filed APR 18 2001

Map filed APR 18 2001 under 67185


The applicant **Donnell J. Richards and Andree L. Richards** hereby make application for permission to change the **Place and Manner of Use of a portion** of water heretofore appropriated under **Permit No. 22854, Certificate No. 6834**

1. The source of water is **Underground**
2. The amount of water to be changed **30.1538 Acres, 120.6152 Acre Feet**
3. The water to be used for **Irrigation and Domestic**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **in the SE¼ of NE¼ of Section 4, T. 34 N., R. 37 E., M.D.B. &M., or at a point from which the E¼ corner of said Section 4 bears S. 85°22' E. a distance of 1278.5 feet.**
6. The existing permitted point of diversion is located within **in the SE¼ of NE¼ of Section 4, T. 34 N., R. 37 E., M.D.B. &M., or at a point from which the E¼ corner of said Section 4 bears S. 85°22' E. a distance of 1278.5 feet.**
7. Proposed place of use **Portions of E½ of W½ of Section 4, T. 34 N., R. 37 E., M.D.B. &M.: Portion of SE¼ of NW¼ (11.8338 acres); portion of NE¼ of SW¼ (16.52 acres); and portion of SE¼ of SW¼ (1.80 acres) for a total of 30.1538 acres.**
8. Existing place of use **Portions of E½ of Section 4, T. 34 N., R. 37 E., M.D.B. &M, More particularly described as portions of Lots 7 to 14 of Block 1 (15.9984 Acres) and portions of Lots 7 to 14 of Block 2 (14.1554 Acres of Rose Peak Farms Subdivision, Total of 30.1538 Acres.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **March 1 to November 1** of each year.
11. Description of proposed works **Existing well, storage pond, diversion tank, pipe lines to place of use.**
12. Estimated cost of works **\$20,000.00**
13. Estimated time required to construct works **3 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**

67186

15. Remarks:

By Ernest E. Muller, Sr., SWRS 702
s/ Ernest E. Muller
750 W. Pueblo St.
Reno, NV., 89509, 2664

WITHDRAWN BY APPLICANT 2/2/06
John Ricci, P.E. STATE ENGINEER 

Compared cm/amg

Protested _____